# WELL CHILD EXAM-INFANCY: 4 Weeks

DATE

PATIENT NAME				DOB		S	SEX		PARENT NAME				
Allergies							Current Medications						
Prenatal/Family History					Chief Complai			hief Complaints	;				
			D					•		D L	Dece	DD ((()	
Weight	Percentile %	Length	Percer	ntile %	НС	Pe	rcent	ile Temp. %		Pulse	Resp.	BP (if risk)	
Birth History			1		□ Va	ginal 🗆 🤇	C-Se	ction			Guidance/Health	Education	
Birth Wt.:	Ges	station:		Complications □ Y □ N						<u>(√ if discussed)</u> Safety □ Appropriate car seat placed in back seat			
Interval H		- to other book		Patient Unclothed									
		s to other heal family or home		Review of Physica						Keep home and car smoke-free			
·	, U	•	,	<u>Sys</u> N	stems A	<u>Exam</u> N	<u>xam Systems</u> A			□ Keep hot liquids away from baby □ Smoke detectors			
								General		Don't leave baby alone in tub or places; always keep hand on ba		o or high	
					Ц			Appearance				baby	
								Skin/nodes		□ Water temp. <120 degrees/test with v □ Never shake baby			
Apnea □ Y □	N 🗆 Monitor							Head					
Nutrition □ Breast eve	ry hou	rs						Eyes		Nutrition □ Hold baby when feeding/don't prop b			
□ Formula _	oz every	hours						-		□ Breast on der formula	mand or feed irc	on-fortified	
With iro Type or bran	n ⊡Y ⊡N d				Ц			Ears		Delay solid foods until 4-6 months			
								Nose		-			
City water Elimination	□ Well wa	iter						Oropharynx		<i>Infant Care</i> □ Thermometer use; antipyretics			
□ Normal	□ Abnormal							Gums/palate		Wash hands			
<mark>Sleep</mark> □ Normal (2-	4 hours) 🛛	Abnormal						Neck		<ul> <li>Avoid direct sun/use children's sunscr</li> <li>Emergency procedures</li> </ul>			
Additional area for comments on page 2				_					Infant Developn	nont			
WIC DY D Maternal Infar		aged Care						Lungs		□ Consistent fe		tines	
Program (MC	P)	<b>J</b>						Heart/pulses		□ Put baby to s	leep on back/Sa	ife Sleep	
□ Y □ N Name:							Abdomen		□ Tummy time while awake □ Console, hold, cuddle, rock, play w/ba				
<u>Screening</u>								Genitalia		Family Adjustm	ioni		
Neonatal Metabolic Screen in Chart									<i>Family Adjustment</i> Take time for self and partner				
□ Normal □ Pending □ Today Hearing							Spine		□ Substance Al Violence Pre		se, Domestic		
Responds	to Sounds							Extremities/hips		Discuss child		to work	
	Neonatal ABR or OAE results in chart Developmental Surveillance							Neurological		Parental Well B	eino		
□ Social-Emo	otional 🗆 Co	mmunicative		□ Abnormal Findings and Comments					S	Postpartum Check-up, Family Planning			
Cognitive Psychosocial									_	□ Baby blues, p □ Accept help f			
		55655inem		( see additional note area on next page)				_		•	•		
Screening for Abuse       If Y IN       (see additional note area of the second								Other Anticipatory Guidance Discussed:					
□ Vision -Parental observation/concerns □ History/Problem List/Meds					leds	Updated							
Immunizations:				□ Referrals						Next Well Check: 2 months of age			
HepB Given in Hospital?				□ WIC □ Help Me Grow ™ □ Transportation					ו ר	Developmental Questions and Observations			
🗆 Y 🗆 N 🗆 Today				Maternal Infant Health MCP						on Page 2			
□ Immunizations Reviewed, Given & Charted □ IMPACTSIIS checked/updated			rted	Children Special Health Care Needs     Other referral						Provider Signatur	e:		
Labs Done To	•												
-				□ Oth	er								

This screening form was adapted by the Ohio Medicaid managed care plans and Ohio Department of Jobs and Family Services for the Healthchek-EPSDT Collaborative Performance Improvement Project. 040110

# WELL CHILD EXAM-INFANCY: 4 Weeks

DATE	PATIENT NAME	DOB

#### **Developmental Questions and Observations**

Ask the parent to respond to the following statements about the infant:

Yes	No	
		Please tell me any concerns about the way your baby is behaving or developing:
		My baby looks at me and listens to my voice.
		My baby calms down when picked up.
		My baby is sleeping well.
		My baby is eating well, sucking well.
		My baby can hear sounds.
		My baby looks at my face.
Ask the	e parent	to respond to the following statements:

ASK the	parent to	respond to	the followin	g statements:
Yes	No			

- □ □ I have more good days with my baby than bad days.
- □ □ I have people who help me when I get frustrated with my baby.

Provider to follow up as necessary

#### **Developmental Milestones**

Always ask parents if they have concerns about development or behavior. (You may use the following screening list, or a standardized developmental instrument or screening tool. Tool Used: \_\_\_\_\_\_).

Infant Devel	opment		Parent Development			
Cries, coos, and smiles	Yes	No	Looks at infant	Yes	No	
Infant responds to soothing	Yes	No	Picks up and soothes infant	Yes	No	
Infant listens to voices	Yes	No	Listens to infant	Yes	No	
Infant fixates on human face, follows with eyes	Yes	No	Talks to infant	Yes	No	
Lifts head momentarily	Yes	No	Touches infant	Yes	No	
Moves arms, legs, and head	Yes	No		I		

Please note: Formal developmental examinations are recommended when surveillance suggests a delay or abnormality, especially when the opportunity for continuing observation is not anticipated. (*Bright Futures: Guidelines for Health Supervision of Infants, Children, and Adolescents*)

#### Additional Notes from pages 1 and 2:

Staff Signature: \_\_\_\_

Provider Signature: \_\_\_\_\_

This screening form was adapted by the Ohio Medicaid managed care plans and Ohio Department of Jobs and Family Services for the Healthchek-EPSDT Collaborative Performance Improvement Project. 040110

# Your Baby's Health at 4 Weeks

## <u>Milestones</u>

*Ways your baby is developing between 4 weeks and 2 months of age.* 

- Looks at your face when you hold him, follows you as you move
- Pays attention to your voice
- Shows she hears sounds by startling, blinking, or crying
- Moves arms and legs, tries to lift head when lying on tummy
- Tells you what he needs by fussing or crying

## For Help or More Information

Breast feeding, food and health information:

- Women, Infant, and Children (WIC) Program, call 1-800-755-4769, or visit the website at: www.odh.ohio.gov/odhPrograms/ns/wicn/wic1.aspx
- The National Women's Health Information Center Breastfeeding Helpline. Call 1-800-994-9662, or visit the website at: <u>www.4woman.gov/breastfeeding</u>
- LA LECHE League 1-800-LALECHE (525-3243), or visit the website at: <u>www.lalecheleague.org</u>

For families of children with special health care needs: Bureau for Children with Medical Handicaps, ODH 1-800-755-4769 (Parents) Visit the Website at: http://www.odh.ohio.gov/odhPrograms/cmh/cwmh/bcmh1.aspx

Social Support Services: Contact the local county Department of Job and Family Services Healthchek Coordinator

## Car seat safety:

- Contact the Auto Safety Hotline at 1-888-327-4236. Visit the website: <u>http://www.safercar.gov/</u>
- To locate a Child Safety Seat Inspection Station, call 1-866-SEATCHECK (866-732-8243) or online at www.seatcheck.org

## Depression after delivery:

For information on depression after childbirth visit this website: <u>http://postpartum.net/</u> or call the Postpartum Support International Postpartum Depression helpline at 1.800.944.4PPD

#### If you're concerned about your child's development: Contact Help Me Grow at 1-800-755-GROW (4769) or at www.ohiohelpmegrow.org/.

## Domestic Violence hotline:

National Domestic Violence Hotline - (800) 799-SAFE (7233) or online at <u>http://www.ndvh.org/</u>

## Safety Tips

Use a rear-facing car seat for your baby on every ride. Buckle your baby up in the back seat, away from the air bag.

*NEVER* shake your baby. Shaking can cause very serious brain damage. Make sure everyone who cares for your baby knows this.

## Health Tips

Learn to know when your baby is hungry, so you can feed her before she cries. Your baby may get fussy or turn her head toward your body when you hold her.

Breast milk is the perfect food for babies for at least the first year. Try to breast-feed as long as possible.

If you are giving your baby a bottle, hold him in your arms during feedings. Your baby needs this special time with you.

Immunizations (Shots) protect your baby from many very serious diseases. Make sure your baby gets all of her shots on time.

To lower the chance of your baby dying from Sudden Infant Death Syndrome (SIDS), *ALWAYS* put your baby to sleep on his back in a crib or bassinet. There should be no soft bedding, blankets, pillows, bumper pads, sheepskins, or stuffed toys in the crib or bassinet.

If you or your baby's caregivers smoke, then STOP smoking. Ask visitors who smoke to go outside away from your baby. No one should smoke in the car or other areas when your baby or other children are present.

Keep your baby away from people who have colds and coughs. Make sure that people who hold or care for your baby wash their hands often.

Call your baby's doctor or nurse before your next visit if you have any questions or worries about your baby.

## Parenting Tips

Help your baby learn by playing and talking with him.

Give your baby the gift of your attention. Take lots of time to hold her, look into her eyes, and talk softly.

Comfort your baby when he cries. Your baby fusses and cries to try to tell you what he wants. Holding will not spoil him.

Your baby needs "tummy time" to strengthen muscles. Place your baby on her tummy when she is awake.

When you are a parent, you will be happy, mad, sad, frustrated, angry, and afraid, at times. This is normal. If you feel very mad or frustrated:

1. Make sure your child is in a safe place (like a crib) and walk away.

- 2. Call a good friend to talk about what you are feeling.
- 3. Call Cooperative Extension for classes-614. 688.5378
- 4. Call 800.448.3000 or visit Boystown Parenting Hotline

at (<u>http://www.parenting.org/hotline/index.asp</u>) will not ask your name, and can offer helpful support and guidance. The helpline is open 24 hours a day.