

New mom? Protect your baby against the flu and other viruses.

As your guide to better health, Buckeye Health Plan provides important information about infant vaccinations. Use this recommended schedule to help your baby stay healthy.

Protect yourself to protect your baby. Ask your doctor about getting vaccinations needed for your baby, for yourself and for others who may be near your child.

0 birth	1 month	2 months	4 months	6 months	12 months	15 months	18 months	19-23 months	2-3 years	4-6 years		
HepB	HepB			HepB								
		RV	RV	RV								
		DTaP	DTaP	DTaP		DTaP				DTaP		
		Hib	Hib	Hib	Hib							
		PCV13	PCV13	PCV13	PCV13							
		IPV	IPV	IPV								
<p>Earn \$75!</p> <p>Schedule vaccinations for your baby during their well care visit and get rewarded! Buckeye members, ages 1 to 11, get \$75 added to their My Health Pays® rewards card for completing their annual well care visit.</p>				Influenza (Yearly)*								
						MMR						MMR
						Varicella						Varicella
						HepA ^s						

Note: If your child misses a shot, you don't need to start over. Just go back to your child's doctor for the next shot. Talk with your child's doctor if you have questions about vaccinations.



Start Smart
for Your Baby®

*Two doses given at least four weeks apart are recommended for children age 6 months through 8 years of age who are getting an influenza (flu) vaccination for the first time and for some other children in this age group.
Two doses of HepA vaccination are needed for lasting protection. The first dose of HepA vaccination should be given between 12 months and 23 months of age. The second dose should be given 6 months after the first dose. All children and adolescents over 24 months of age who have not been vaccinated should also receive 2 doses of HepA vaccination.

For more health tips, visit BuckeyeHealthPlan.com or call 1-866-246-4358.

Vaccination	Disease symptoms	Disease complications
Flu vaccination protects against influenza.	Fever, muscle pain, sore throat, cough, extreme fatigue	Pneumonia (infection in the lungs)
PCV13 vaccination protects against pneumococcus.	May be no symptoms, pneumonia (infection in the lungs)	Bacteremia (blood infection), meningitis (infection of the covering around the brain and spinal cord), death
Varicella vaccination protects against chickenpox.	Rash, tiredness, headache, fever	Infected blisters, bleeding disorders, encephalitis (brain swelling), pneumonia
DTaP* vaccination protects against diphtheria, tetanus, and pertussis (whooping cough).	Diphtheria: Sore throat, mild fever, weakness, swollen glands in neck Tetanus: Stiffness in neck and abdominal muscles, difficulty swallowing, muscle spasms, fever Pertussis: Severe cough, runny nose, apnea (pause in breathing in infants)	Diphtheria: Swelling of the heart muscle, heart failure, coma, paralysis, death Tetanus: Broken bones, breathing difficulty, death Pertussis: Pneumonia, death
Hib vaccination protects against Haemophilus influenzae type b.	May be no symptoms unless bacteria enter the blood	Meningitis, intellectual disability, epiglottitis (life-threatening infection that can block the windpipe and lead to serious breathing problems), pneumonia, death
HepA vaccination protects against hepatitis A.	May be no symptoms, fever, stomach pain, loss of appetite, fatigue, vomiting, jaundice (yellowing of skin and eyes), dark urine	Liver failure, arthralgia (joint pain), kidney, pancreatic, and blood disorders
HepB vaccination protects against hepatitis B.	May be no symptoms, fever, headache, weakness, vomiting, jaundice, joint pain	Chronic liver infection, liver failure, liver cancer
MMR** vaccination protects against measles, mumps, and rubella.	Measles: Rash, fever, cough, runny nose, pink eye Mumps: Swollen salivary glands (under the jaw), fever, headache, tiredness, muscle pain Rubella: Sometimes rash, fever, swollen lymph nodes	Measles: Encephalitis, pneumonia, death Mumps: Meningitis, encephalitis, inflammation of testicles or ovaries, deafness Rubella: Very serious in pregnant women—can lead to miscarriage, stillbirth, premature delivery, birth defects
IPV vaccination protects against polio.	May be no symptoms, sore throat, fever, nausea, headache	Paralysis, death
PCV13 vaccination protects against pneumococcus.	May be no symptoms, pneumonia	Bacteremia, meningitis, death
RV vaccination protects against rotavirus.	Diarrhea, fever, vomiting	Severe diarrhea, dehydration

Buckeye Health Plan complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Buckeye Health Plan does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

ATTENTION: If you speak English, language assistance services, free of charge, are available to you. Call 1-866-246-4358 (TTY: 711).

ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-866-246-4358 (TTY: 711).

注意:如果您使用繁體中文,您可以免費 獲得語言援助服務。請致電 1-866-246-4358 (TTY: 711)。

C. (2020, February 03). Easy-to-read Immunization Schedule by Vaccine for Ages Birth-6 Years, from <https://www.cdc.gov/vaccines/schedules/easy-to-read/child-easyread.html> BHP-MM-110220

