	WE	ELL CHILE	EXAM	-IN	FANC	Y: N	lewl	oorn–	1 Week	Visit			DATE		
PATIENT NAME					DOB			SEX PARENT			ENT NAME				
Allergies								Current Medications							
Prenatal/Family History								Chief Complaints							
Weight	Percentile	Length	Percentile		НС		Perce	entile	Temp.	P	Pulse	Resp.		BP (if risk)	
	%			%				%							
Birth History  Birth Wt.: Gestation:				□ Vaginal □ C Complications							Anticipatory Guidance/Health Education (√ if discussed)				
<u>Interval</u> H				ient	Unclothe	d 🗆	Υ	□ N			<i>fety</i> Appropriete		اممما	in book asst	
(Include injury/illness, visits to other health care providers, changes in family or home)				Review System							<ul> <li>□ Appropriate car seat placed in back seat</li> <li>□ Keep home and car smoke-free</li> <li>□ Keep hot liquids away from baby</li> </ul>				
				<u>oys</u> N	A	N A		Systems	<u>Jystems</u>	☐ To protect baby, ave					
·			$- \Gamma$					App	neral Dearance	7 -	Don't leave by places; always	oaby alor ys keep l	ne in tuk hand on	o or high baby	
Apnea □ Y □ Nutrition	□ N □ Monitor								n/nodes ndice		Water temp. Never shake		rees/te	st with wrist	
	ery hou							Hea	ıd		<i>itrition</i> Hold baby wl	hen feed	ina/don	't prop bottle	
With ire	oz every on PY N							Eye	s		Breast on de formula	mand or	feed iro	on-fortified	
Type or bran								Ear	s		Breast milk o		a is only	y fluid/food	
☐ City water Elimination		ter						Nos	se .		Amount of di fant Care		inges to	expect	
□ Normal Sleep	□ Abnormal							Oro	pharynx		Thermomete		tipyreti	cs	
☐ Normal (2-Additional are	-4 hours) □ ea for commer	Abnormal nts on page 2						Gur	ns/palate			sun/use		n's sunscreen	
								Nec	:k	lni	Emergency part of the second property of the	nent			
Maternal Infa Program (MC	nt Health Mana P) □ Y □							Lun	igs		Develop feed Put baby to s				
Name:								Hea	rt/pulses		Put baby to s Console, hole				
	g and Proc							Abo	domen	Fa	<i>mily Adjustm</i> Take time for	nent			
$\square$ Y $\square$ N								Ger	nitalia			buse, Ch		se, Domestic	
Hearing	nal □ Pending	g □ Today						Spi	ne		Rest/sleep warental Well B	hen baby	/ sleeps	i	
	ABR or OAE re	_						Ext	remities/hips	}      <del>-</del>	Postpartum (	Check-up			
	tal Surveillance otional   □ Coi								ırological	_   _	Baby blues, p Accept help f			nily & friends	
Psychosocia	<ul><li>□ Physical D</li><li>I/Behavioral As</li></ul>		_	<b>\b</b> n	ormal	Find	ings	and C	omments		her Anticipato	ry Guida	nce Disc	cussed:	
□ Y □ N Screening for Abuse □ Y □ N (see a					additional note area on next page)										
If At Risk Result					s of visit discussed with parent □ Y □ N				N						
Immuniza					oru/Drob	lom I :	o#/Ma	طم المطء	tod						
HepB Given in Hospital? □				History/Problem List/Meds Updated					_	Next Well Check: 1 month of age			h of age		
□ Y □ N □ Today				□ Referrals □ Maternal Infant Health MCP						_				Observations	
_ 1				□ WIC □ Help Me Grow ™ □ Transportation						n D	o reiopilientai	on Pag			
aivon document rationale					Children Special Health Care Needs				Pro	ovider Signatui					
☐ IMPACTSIIS checked/updated				□ Other referral						-					
Labs Done Today				□ Other											

## WELL CHILD EXAM-INFANCY: Newborn-1 Week Visit

	PATIENT NAME			D	OB	
evelopmenta	al Questions and O	bservations	<u> </u>	·		
Ask the paren Yes No	nt to respond to the	following s	tatements a	bout the infant:		
	Please tell me a	ny concern	s about the	way your baby is behaving	or developing:	
	My baby looks	at me and lis	stens to my	voice.		
	My baby calms	down when	picked up.			
	My baby is slee	ping well.				
	My baby is eati	ng well, suc	king well.			
	My baby can he	ar sounds.				
	My baby looks	at my face.				
Ask the paren 'es No	nt to respond to the	following s	tatements:			
	I am sad more o	often than I	am happy.			
	I have more go	od days with	n my baby th	an bad days.		
	I have people w	ho help me	when I get f	rustrated with my baby.		
rovider to fo	llow up as necess:	arv				
	llow up as necessa	ary				
	llow up as necessa al Milestones	ary				
Developmenta	al Milestones rents if they have cor	ncerns about		or behavior. (You may use th	e following screeninę	g list, or a
Developmenta	al Milestones rents if they have corevelopmental instrui	ncerns about ment or scree		ol Used;		g list, or a ).
Developmenta Nways ask par tandardized de	al Milestones rents if they have cor	ncerns about ment or scree		ol Used;	e following screening Development Yes	g list, or a ). No
Developmenta Nways ask par tandardized de	rents if they have con evelopmental instrur Infant Develo ds to soothing	ncerns about ment or scree	ening tool. To	ol Used; Parent	Development Yes	).
Developmenta Neways ask par tandardized de Infant respond Infant listens	rents if they have corevelopmental instruction in the latest and the latest area of the latest and the latest area of the lates	ncerns about nent or scree opment Yes	No No	Dol Used; Parent Looks at infant	Development Yes	). No
Developmenta Always ask par tandardized de Infant respond Infant listens	rents if they have corevelopmental instruing Infant Develor ds to soothing to voices on human face, eyes	ncerns about ment or scree opment Yes Yes	No No	Dol Used; Parent Looks at infant Picks up and soothes infa	Development Yes Yes	). No
Developmenta Always ask par tandardized do Infant respond Infant listens to Infant fixates of follows with e Lifts head mo	rents if they have corevelopmental instruing Infant Develor ds to soothing to voices on human face, eyes	ncerns about ment or scree opment Yes Yes Yes	No No No	Looks at infant  Picks up and soothes infa  Listens to infant	Per	No No No
Developmenta Always ask par tandardized do Infant respond Infant listens to Infant fixates of follows with e Lifts head mo	rents if they have corevelopmental instruction in the content of t	ricerns about ment or screet opment Yes Yes Yes Yes Yes Yes	No No No No No No	Parent Looks at infant Picks up and soothes infa Listens to infant Talks to infant Touches infant	Development Yes Ant Yes Yes Yes Yes	No No No No
Developmenta Always ask par tandardized do Infant respond Infant listens to Infant fixates of follows with e Lifts head model.	rents if they have corevelopmental instruction in the property of the property	recerns about ment or screet opment Yes Yes Yes Yes Yes Yes tions are recomment	No N	Parent Looks at infant Picks up and soothes infa Listens to infant Talks to infant	Pres Pres Pres Pres Pres Pres Pres Pres	No No No No
Developmenta Always ask par tandardized de Infant respond Infant listens to Infant fixates of follows with e Lifts head mo Moves arms, I	rents if they have corevelopmental instruction in the property of the property	recerns about ment or screet opment  Yes  Yes  Yes  Yes  Yes  Yes  Yes  Ye	No N	Parent Looks at infant Picks up and soothes infa Listens to infant Talks to infant Touches infant rveillance suggests a delay or abnorm	Pres Pres Pres Pres Pres Pres Pres Pres	No No No No
Developmenta Always ask par tandardized de Infant respond Infant listens to Infant fixates of follows with e Lifts head mo Moves arms, I	rents if they have corevelopmental instruction in the property of the property	recerns about ment or screet opment  Yes  Yes  Yes  Yes  Yes  Yes  Yes  Ye	No N	Parent Looks at infant Picks up and soothes infa Listens to infant Talks to infant Touches infant rveillance suggests a delay or abnorm	Pres Pres Pres Pres Pres Pres Pres Pres	No No No No
Developmenta Always ask par tandardized de Infant respond Infant listens to Infant fixates of follows with e Lifts head mo Moves arms, I	rents if they have corevelopmental instruction in the property of the property	recerns about ment or screet opment  Yes  Yes  Yes  Yes  Yes  Yes  Yes  Ye	No N	Parent Looks at infant Picks up and soothes infa Listens to infant Talks to infant Touches infant rveillance suggests a delay or abnorm	Pres Pres Pres Pres Pres Pres Pres Pres	No No No No
Developmenta Always ask par tandardized de Infant respond Infant listens to Infant fixates of follows with e Lifts head mo Moves arms, I	rents if they have corevelopmental instruction in the property of the property	recerns about ment or screet opment  Yes  Yes  Yes  Yes  Yes  Yes  Yes  Ye	No N	Parent Looks at infant Picks up and soothes infa Listens to infant Talks to infant Touches infant rveillance suggests a delay or abnorm	Pres Pres Pres Pres Pres Pres Pres Pres	No No No No No

# Your Baby's Health at 1 Week

## Milestones

Ways your baby is developing between 1 week and 1 months of age.

- Looks at your face when you hold him, follows you as you move
- Pays attention to your voice.
- Shows she hears sounds by startling, blinking, or crying.
- Moves arms and legs, tries to lift head when lying on tummv.
- Tells you what he needs by fussing or crying.
- Starts to smile

### For Help or More Information

### Breast feeding, food and health information:

- Women, Infant, and Children (WIC) Program, call 1-800-755-4769, or visit the website at: www.odh.ohio.gov/odhPrograms/ns/wicn/wic1.aspx
- The National Women's Health Information Center Breastfeeding Helpline. Call 1-800-994-9662, or visit the website at: <a href="https://www.4woman.gov/breastfeeding">www.4woman.gov/breastfeeding</a>
- LA LECHE League 1-800-LALECHE (525-3243), or visit the website at: <u>www.lalecheleague.org</u>

Social Support Services: Contact the local county Department of Job and Family Services Healthchek Coordinator

For families of children with special health care needs: Bureau for Children with Medical Handicaps, ODH

1-800-755-4769 (Parents) Visit the Website at: http://www.odh.ohio.gov/odhPrograms/cmh/cwmh/bcmh1.aspx

#### Car seat safety:

- Contact the Auto Safety Hotline at 1-888-327-4236. Visit the website: http://www.safercar.gov/
- To locate a Child Safety Seat Inspection Station, call 1-866-SEATCHECK (866-732-8243) or online at <a href="https://www.seatcheck.org">www.seatcheck.org</a>

#### Depression after delivery:

For information on depression after childbirth visit this website: <a href="http://postpartum.net/">http://postpartum.net/</a> or call the Postpartum Support International Postpartum Depression helpline at 1.800.944.4PPD

If you're concerned about your child's development: Contact Help Me Grow at 1-800-755-GROW (4769) or at www.ohiohelpmegrow.org/.

#### **Domestic Violence hotline:**

National Domestic Violence Hotline - (800) 799-SAFE (7233) or online at http://www.ndvh.org/

### Safety Tips

Use a rear-facing car seat for your baby on every ride. Buckle your baby up in the back seat, away from the air bag.

*NEVER* shake your baby. Shaking can cause very serious brain damage. Make sure everyone who cares for your baby knows this.

## Health Tips

Learn to know when your baby is hungry, so you can feed her before she cries. Your baby may get fussy or turn her head toward your body when you hold her.

Breast milk is the perfect food for babies for at least the first year. Try to breast-feed as long as possible.

If you are giving your baby a bottle, hold him in your arms during feedings. Your baby needs this special time with you.

Immunizations (Shots) protect your baby from many very serious diseases. Make sure your baby gets all of her shots on time.

To lower the chance of your baby dying from Sudden Infant Death Syndrome (SIDS), *ALWAYS* put your baby to sleep on his back in a crib or bassinet. There should be no soft bedding, blankets, pillows, bumper pads, sheepskins, or stuffed toys in the crib or bassinet.

If you or your baby's caregivers smoke, then STOP smoking. Ask visitors who smoke to go outside away from your baby. No one should smoke in the car or other areas when your baby or other children are present.

Keep your baby away from crowds and people who have colds and coughs. Make sure that people who hold or care for your baby wash their hands often.

Call your baby's doctor or nurse before your next visit if you have any questions or worries about your baby.

#### Parenting Tips

Help your baby learn by playing and talking with him.

Give your baby the gift of your attention. Take lots of time to hold her, look into her eyes, and talk softly.

Comfort your baby when he cries. Your baby fusses and cries to try to tell you what he wants. Holding will not spoil him.

Your baby needs "tummy time" to strengthen muscles. Place your baby on her tummy when she is awake

When you are a parent, you will be happy, mad, sad, frustrated, angry, and afraid, at times. This is normal. If you feel very mad or frustrated:

- 1. Make sure your child is in a safe place (like a crib) and walk away.
- 2. Call a good friend to talk about what you are feeling.
- 3. Call Cooperative Extension for classes-614. 688.5378
- 4. Call 800.448.3000 or visit Boystown Parenting Hotline at (http://www.parenting.org/hotline/index.asp)

They will not ask your name, and can offer helpful support and guidance. The helpline is open 24 hours a day.