



## Reviewing the appropriate use of resources

**Buckeye Health Plan (Buckeye) has utilization management and claims management systems** to identify, track and monitor care provided to our members. Utilization management (UM) care criteria cover preventive care, emergency care, primary care, specialty care, acute care, short-term care, maternity care and ancillary care services. Buckeye uses nationally recognized criteria (such as InterQual), if available, for the specific service; other criteria are developed internally through a process that includes the review of scientific evidence and input from relevant specialists.

UM decision-making is based only on appropriateness of care and the existence of coverage. Buckeye does not reward providers, practitioners or other individuals for issuing denials of coverage or care. Denials are based on lack of medical necessity or lack of covered benefit. Financial incentives for UM staff do not encourage decisions resulting in underutilization of services.

To help us make appropriate UM decisions, providers should submit complete clinical information with the initial request for a service or treatment. If a denial of coverage or care is issued, providers have the opportunity to discuss the denial decision with a physician or another appropriate reviewer at the time of notification of an adverse determination.

Practitioners may obtain the criteria used to make a decision by contacting the Medical Management Department at **1-866-246-4359**.

### How we measure quality

Buckeye's mission is to provide quality healthcare to our members as measured through HEDIS quality metrics.

HEDIS, the Healthcare Effectiveness Data and Information Set, is a set of standardized performance measures developed by the National Committee for Quality Assurance (NCQA) that allow direct, objective comparison of quality across health plans. NCQA develops the HEDIS measures through a committee composed of purchasers, consumers, health plans, healthcare providers and policymakers.

HEDIS allows for standardized measurement and reporting and accurate, objective side-by-side comparisons. Learn more at [ncqa.org](http://ncqa.org).

Please note the HEDIS measures highlighted on the following pages regarding child and adolescent health visits and lead screening.



## HEDIS for well-child visits

Several HEDIS measures cover issues related to well-child visits. These include:

- **Well-Child Visits in the First 15 Months of Life:** Assesses children who had up to six well-child visits with a primary care practitioner (PCP) during their first 15 months of life.
- **Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life:** Assesses children ages 3 to 6 who received one or more well-child visits with a PCP in a year.
- **Adolescent Well-Care Visits:** Assesses adolescents and young adults ages 12 to 21 who had at least one comprehensive well-care visit with a PCP or an OB/GYN in a year.
- **Children and Adolescents' Access to Primary Care Practitioners:** Assesses children and young adults ages 12 months to 19 years who had a visit with a PCP.

## Guidelines for well-child care

Buckeye reminds parents that children should have a well-child visit every year and that routine health screenings and needed immunizations can help ensure children are healthy and developing normally.

For children under age 21 who are enrolled in Medicaid, services are provided through the Early and Periodic Screening, Diagnostic and Treatment (EPSDT) benefit, which requires preventive, dental, behavioral health, developmental and specialty care.

The American Academy of Pediatrics offers guidelines for caring for infants, children and adolescents through **Bright Futures**, a health promotion and prevention initiative. These guidelines include health promotion and anticipatory guidance, disease prevention and early detection of disease, and development and behavioral health screenings.

Under Medicaid rules, states must develop a periodicity schedule for recommended care. States may elect to use the **Recommendations for Preventive Pediatric Health Care periodicity schedule** developed by Bright Futures or a different periodicity schedule developed by a recognized medical organization.

In October 2018, Bright Futures released the second edition of its Bright Futures Tool and Resource Kit, a compilation of current forms and materials related to preventive health supervision and health screening for infants, children and adolescents. The toolkit is designed to accompany the organization's guidelines.

## Our members' satisfaction matters

To provide the best care, Buckeye surveys our members annually about their healthcare experiences. Because you and your staff are such an integral part of our members' healthcare experiences, we share the results with you. The survey results show how members feel about the care they receive

from our providers and the service they receive from the health plan.

Buckeye uses the results to help improve care. With your assistance, providers can improve survey results by focusing on customer service year-round, improving communication and helping members

feel connected to their providers and the health plan.

Results were gathered using the Consumer Assessment of Healthcare Providers and Systems (CAHPS) survey. In addition, Buckeye submits survey results to the NCQA to meet accreditation requirements.



## Health checks **for teens**

**Just like younger children**, teenagers need annual checkups. As children reach adolescence, providers should be aware that their health needs will change. According to the **American Academy of Pediatrics (AAP)**, adolescents and young adults may engage in high-risk behaviors such as:

- Alcohol use, which plays a role in a high number of unintentional injuries, the leading cause of death for this age group
- Use of electronics while driving
- Sexual activity

Many teens also engage in behaviors that can affect their long-term health, including smoking, poor eating habits and a lack of exercise.

To offer complete care to adolescents, providers will need to address not just physical and mental health, but also sexual and social development and risk-taking behaviors. Bright Futures, a health promotion and prevention initiative from the AAP, offers **guidance for providers** with adolescent patients. The guide offers detailed information on changes and challenges faced at different stages of development, breaking teens into three groups: ages 11-14, 15-17 and 18-21. An annual tobacco, alcohol and drug use risk assessment should begin at age 11, for instance, and screening for depression should begin at age 12.

You can find adolescent preventive care guidelines, along with guidelines for adult and child preventive care and for chronic diseases, at **BuckeyeHealthPlan.com**. Or call **1-866-246-4358** for more information. A copy of the guidelines may be mailed to your office as part of disease management or other quality improvement initiatives. Members also have access to these guidelines.

## Adolescent immunization needs

As teen members head off to college, it's important for providers to review necessary immunizations. That's because, as **Consumer Reports** notes, the close quarters of dorm living make diseases much more likely to spread.

Though vaccine requirements differ by college and state, *Consumer Reports* says young adults entering college especially need vaccines for:

- Bacterial meningitis (meningococcal)
- Human papillomavirus (HPV)
- Influenza
- Tetanus, diphtheria and pertussis (Tdap)

Many young adults entering college may have received the necessary vaccinations during childhood. Go to the **Centers for Disease Control and Prevention website** to review an immunization schedule for those ages 18 and younger.

### **HEDIS**

The HEDIS measure **Immunizations for Adolescents** assesses 13-year-olds who had one dose of meningococcal vaccine, one Tdap vaccine and the complete HPV series.

## Screening for lead

Lead poisoning can cause intellectual, developmental and physical problems. Yet because it doesn't have obvious symptoms, it may be easily overlooked.

The **Centers for Disease Control and Prevention** reports that there are 4 million U.S. households with children in them that are being exposed to lead. High lead levels can damage the brain and nervous system. They can also cause developmental and growth delays, learning and behavioral problems and hearing and speech problems.

Buckeye reminds providers that all children enrolled in Medicaid are required to have a blood lead screening test at ages 12 and 24 months. Children ages 24 months to 6 years who haven't been screened in the past should also have a blood lead screening test. The CDC says there is no safe blood lead level.

### **HEDIS**

The HEDIS measure **Lead Screening in Children** measures the percentage of 2-year-olds who had one or more capillary or venous lead blood tests for lead poisoning by their second birthday.



Getty Images



# Meeting **appointment accessibility** standards

**Are your patients able to obtain services when they are needed?** Buckeye monitors the availability of our network practitioners. Availability is key to member care and treatment outcomes.

Buckeye follows the accessibility requirements set forth by applicable regulatory and accrediting agencies. We monitor compliance with these standards annually and use the results of monitoring to ensure adequate appointment availability and reduce the unnecessary use of emergency rooms.

Please review the appointment availability standards in the **Provider Manual** or in the chart below.

## TYPE OF APPOINTMENT

## SCHEDULING TIME FRAME

Routine appointments and physicals	Within 28 days of request
Primary care urgent appointments (not life-threatening)	Within six hours of request
Urgent care	Within 24 hours
Urgent specialty care	Within 24 hours of referral
Emergency care	Immediately and available 24 hours a day
<b>For prenatal care, women should be seen:</b>	
Positive pregnancy test	Within three weeks
Identification of high-risk pregnancy	Within three weeks
In first and second trimesters	Within seven days of request
In third trimester	Within three days of request
<b>For behavioral healthcare:</b>	
Emergency services	Immediately
Urgent care	Within 48 hours
Routine care	Within 10 days

## After-hours requirements

Members need to know who to contact after business hours. Providers are required to offer arrangements for access to a covering physician after business hours, or they must have an answering service, triage service or voice message that explains to members how to access urgent and emergency care. This helps ensure our members get the best possible healthcare.

The requirements below ensure that our members have adequate access to needed healthcare services and can access their providers after normal business hours and on weekends.

Offices using an answering machine must:

- Provide a message directing members to call **911** or go to the nearest emergency room if they think it is too urgent to wait for a doctor to call back.
- Provide instructions on how to contact the doctor if the situation is urgent.

Offices using an answering service must:

- Direct members to call **911** or go to the nearest emergency room if they think it is too urgent to wait for a doctor to call back.
- Provide an option to contact the provider on call with the member's contact information. When possible, the provider must return the call within 60 minutes.



Getty Images



Information regarding Buckeye's 2019 Quality Improvement Program Description is available for review upon request.

**MEMBER SERVICES:**  
**1-866-246-4358**

**PROVIDER SERVICES:**  
**1-866-296-8731**

To receive a paper copy of any information referenced in this newsletter or on the Buckeye website, please call Buckeye's Provider Services.

Published by Manifest LLC. © 2019. All rights reserved. No material may be reproduced in whole or in part from this publication without the express written permission of the publisher. Manifest makes no endorsements or warranties regarding any of the products and services included in this publication or its articles.